DNV·GL

EUROPEAN UNION RECOGNISED ORGANISATION (EU RO) MUTUAL RECOGNITION TYPE APPROVAL CERTIFICATE

Certificate No: MRA000002W

In accordance with Article 10.1 of EU Regulation 391/2009

This Certificate is issued to

Saia-Burgess Controls AG Murten, FR, Switzerland

for

Monitors, Terminals

with type designation(s)

PCD7.D543RF, PCD7.D570RF

The product is found to comply with

EU RO Mutual Recognition Technical Requirements for Display Monitors, Video Screens, Terminals

EU RO Mutual Recognition Technical Requirements for Computers and Programmable Logic Controllers

Intended service

Application of systems are subject for approval of the individual RO classing the vessel.

Temperature [°C]: 0°C and 50°C Vibration: ±1mm / 0,7g

EMC: All locations including bridge and open deck IP Code: IP22 standalone, IP66 when sealed to console

This is to certify:

that the Product referred to herein has been inspected for the Manufacturer, pursuant to the relevant requirements of the European Union Recognised Organisation Mutual Recognition procedure, required by Article 10.1 of EU Regulation 391/2009, and has been found in accordance with those requirements.


This Certificate is valid until 2022-08-08.

Issued at **Hamburg** on **2020-11-23**for **DNV GL**DNV GL local station: **Augsburg**

Approval Engineer: Marco Rinkel

Joannis Papanuskas Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed. LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



: MRTA 201 Revision: 2020-03 www.dnvgl.com Page 1 of 6

Product description

	Description	Standard	Steering		
Model name		compass	compass		
		safe	safe		
			distance		
PCD7.D543RF	4.3" TFT color display, resolution 480x272 pixel, 64K	35 cm	20 cm		
	colors.				
	Resistive touchscreen, Dimmable LED backlight				
	1 Ethernet port 1 USB (V2.0) port				
	1 RS-232/RS-485/RS-422				
PDC7.D570RF	7" TFT color display, resolution 800 x480 pixel, 64K colors.	50 cm	40 cm		
	Resistive touchscreen, Dimmable LED backlight				
	ARM Cortex A8 300 MHz				
	1 Ethernet port				
	1 USB (V2.0) port				

Manufactured by

EXOR International S.p.A. NEXCOM (Taiwan)

Application/Limitation

The Type Approval covers all hardware listed under Product description. The displays are intended for use in alarm and monitoring systems subject to classification.

All monitors are available with touch screen functionality, which is beyond the scope of this approval. The touch screen hardware has been verified according to the DNV GL Class Programme for EU-RO-MR, but any use of touch functionality in classed applications needs to be verified through functional testing. The dimming function is programmable and needs to be verified through functional testing when used in a system subject to classification.

The products can be used on board vessels contracted before 01.01.2022.

Type Approval documentation

See ANNEX

Marking of product

Model name and part number: As listed under Product description

Serial number: Unique for each delievered item

Other Conditions

The units have been verified for compliance with EU Mutual Recognition Technical Requirements for "Display Monitors, Video Screens, Terminals" version 0.3, dated 2016-04-01.

EU Mutual Recognition Technical Requirements for Computers and programmable logic controllers (PLC) version 0.3, dated 2016-04-01 have additionally been verified.

Environmental test parameters Temperature: 0°C and 50°C Vibration: ±1mm / 0,7g

EMC: All locations including bridge and open deck

Enclosure: IP22 standalone, IP66 when sealed to console (IP ratings according to IEC 60529)

Form code: MRTA 201 Revision: 2020-03 www.dnvql.com Page 2 of 6

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed annually and at renewal of this certificate in connection with MRA000001A.

END OF CERTIFICATE

Form code: MRTA 201 Revision: 2020-03 www.dnvgl.com Page 3 of 6

ANNEX

Type Approval documentation

Title				Drw No	Rev
eSMART1	07	Vibration		V17089601	-
eSMART1	07	Safety		S17099201	-
eSMART1	07	Compass	60/45cm	R17107301	-
eSMART1	07	EMC		R17094801	-
eSMART1	07	Climatic		E17099801	-
eSMART	10	Vibration		V17089301	-
eSMART	10	Shock		V15123901	
eSMART	10	Safety		S17098901	-
eSMART	10	Compass	35/25cm	R17106801	-
eSMART	10	EMC		R17090801	-
eSMART	10	Climatic		E17099501	-
eSMART	07M	Vibration		V17089401	-
eSMART	07M	Safety		S17099001	-
eSMART	07M	Compass	55/35cm	R17106901	-
eSMART	07M	EMC		R17090701	-
eSMART	07M	Climatic		E17099601	-
eSMART	07	Vibration		V17096601	-
eSMART	07	Shock		V15123801	
eSMART	07	Safety		S17099401	-
eSMART	07	Compass	50/40cm	R17107001	-
eSMART	07	EMC		R17090601	-
eSMART	07	Climatic		E17100001	-
eSMART	04M	Vibration		V17089501	-
eSMART	04M	Safety		S17099101	-
eSMART	04M	Compass	35/20cm	R17107101	-
eSMART	04M	EMC		R17087901	-
eSMART	04M	Climatic		E17099701	-
eSMART	04	Vibration		V17096501	-
eSMART	04	Shock		V15123701	
eSMART	04	Safety		S17099301	-
eSMART	04	Compass	35/20cm	R17107201	-
eSMART	04	EMC		R17086801	-
eSMART	04	Climatic		E17099901	-

Form code: MRTA 201 Revision: 2020-03 www.dnvgl.com Page 4 of 6

Title Component mounting plan BE15A	Drw No BE15A	Rev -
Block diagram BE15A	BE15A	11.16
Component mounting plan ECO3A	ECO3A	-
Schematic ECO3A	-	-
Component mounting plan ECO1A	ECO1A	-
Schematic ECO1A	-	-
Component mounting plan ECO1A1	ECO1A1	-
Schematic ECO1A1	-	-
Component mounting plan ECO2A	ECO2A	-
Schematic ECO2A	-	-
Schematic ECO2A1	-	-
Component mounting plan ECO2A1	ECO2A1	-
Labels eSMARTxx	-	-
Label eSMART107	-	-
Tech-note eSMART107	-	-
Tech-note eSMART10	-	-
Tech-note eSMART07M	-	-
Tech-note eSMART04	-	-
Installation guide eSMARTxxxx	MANESMARTxxU002	-
Installation guide eSMART107	MANESMA107U001	-
eSMART10 frame	DIS4794	02
eSMART04 frame	DIS4793	02
eSMART07 frame	DIS4679	02
eSMART10 cover	DIS4805	02
eSMART04 cover	DIS4804	02
eSMART07 cover	DIS4678	02

Form code: MRTA 201 Revision: 2020-03 www.dnvgl.com Page 5 of 6

Generic Statement for EU RO MR Type Approval Certificate

When a product is presented with this EU RO MR Type Approval Certificate for given application, its acceptability with regards to the limitations stated in the certificate conditions defined in 1b, 1c and 1d of the applied Technical Requirement will be evaluated by the EU RO in charge of classing the ship or being in charge of the unit/system certification.

In accordance with Article 10 of Regulation (EC) No 391/2009 of the European Parliament and of the Council of 23 April 2009 "on common rules and standards for ship inspection and survey organizations", the following organizations, recognized by the EU on this date, have agreed on the technical and procedural conditions under which they will mutually recognize this certificate:

- American Bureau of Shipping (ABS);
- Bureau Veritas (BV);
- China Classification Society (CCS);
- Croatian Register of Shipping (CRS);
- DNV GL;
- Indian Register of Shipping (IRS);
- Korean Register (KR);
- Lloyd's Register Group Ltd. (LR);
- Nippon Kaiji Kyokai General Incorporated Foundation (ClassNK);
- Polish Register of Shipping (PRS);
- RINA Services S.p.A. (RINA);
- Russian Maritime Register of Shipping (RS).

The scheme for the mutual recognition of class certificates for materials, equipment and components laid down by Article 10(1) of Regulation (EC) No 391/2009 is only enforceable within the Union in respect of ships flying the flag of a Member State. As far as foreign vessels are concerned, the acceptance of relevant certificates remains at the discretion of relevant non-EU flag States in the exercise of their exclusive jurisdiction, notably under the United Nations Convention on the Law of the Sea (UNCLOS). (In accordance with COMMISSION IMPLEMENTING REGULATION (EU) No 1355/2014 amending Regulation (EC) No 391/2009 - recital (25)).

Form code: MRTA 201 Revision: 2020-03 www.dnvgl.com Page 6 of 6