

How to Install Advanced Menu v2.2.0

Installation

Basically, the Advanced Menu is available for various languages.

For this purpose, the Advanced Menu contains its own Lexicon module, the installation of which is explained below.

If a language is not available, the Advanced Menu is set to English by default.

The language depends on the settings that have been set for the respective user in the “UserService”.

Copy all modules (.jar-Files) from the zip file into the “modules” folder of the installation directory of Niagara:
By default: “C:\Brand\Niagara-4.xx.x.xxx\modules”.

Note: The Platform service and Workbench should be restarted once after copying.


Incorporating a Advanced Menu in an existing project

The whole template can also be transferred directly to an already running station.

Copy the “Advanced Menu” folder from the “..\sbcDeviceTemplate21vX_X_X\shared\” folder to the system path of your station: “C:\ProgramData\Niagara4.xx\Brand\stations\yourStation\shared\”


The template can thus also be used in various previous versions of Niagara.

You will then find the “advancedMenu” folder in the station under Files (update if necessary):




To use the menu it is also necessary to place a service.

Under "Service", place the "AdvancedMenuService" service from the "honAdvancedMenu" palette:



To ensure that the whole thing can be used, the main.nav file, the language and the time format must be specified for each user in the "User Service":




| | |
|----------------------------|-----------------------------|
| Language | en |
| Authentication Scheme Name | DigestScheme |
| Authenticator | Password Authenticator |
| Email | |
| Cell Phone Number | |
| Facets | timeFormat HH:mm DD.MM.YYYY |
| | unitConversion Metric |
| Nav File | file:^advancedMenu/main.nav |

In addition, if necessary, the full name of each user can be specified, which will then be displayed in the menu::

| | |
|---|---------------------------------------|
|  Name | <input type="text" value="admin"/> |
|  Full Name | <input type="text" value="John Doe"/> |

Note: The respective user must have at least read rights to the “UserService” for this.

The main.nav transforms the index.html with the corresponding view into the home page (Do not change!):

| Result Tree | |
|--|---|
| Display Name | Target Ord |
|  Home | file:^advancedMenu/index.html view:web:FileDownloadView |

How to proceed

Follow the official manual for guidance through the configuration