

PCD7.L62x extension modules for light and sunblind

Where I can find the right connectors for the PCD7.L62x Light and Sunblind extension modules?

The content of this document is sorted by the connector type. The first table informs you about the power supply connectors. The second table holds information about the light outputs, the next one for sunblind connectors and the last table informs you about the low voltage (24V) connectors used in the extension module PCD7.L623.




We can't guaranty that all Wieland article numbers are every time correct, for orders please contact your local distributor.

Supplier: Wieland-Electric




Homepage: www.wieland-electric.com

World wide sales offices: www.wieland-electric.de/sales/searching-for-addresses.html




92

GST 18i3	Pure connector	Connector with Traction relief	Connector with Traction relief and cable	
Power Supply PCD7.L620 PCD7.L621 PCD7.L622 PCD7.L623	 92.031.3258.1	 92.931.3053.1		
			Cable length	Black
			1,0 m 2,0 m 3,0 m 4,0 m 5,0 m 6,0 m 7,0 m 8,0 m	92.232.1003.1 92.232.2003.1 92.232.3003.1 92.232.4003.1 92.232.5003.1 92.232.6003.1 92.232.7003.1 92.232.8003.1



For more details please refer your local "Wieland-Electric" distributor.
www.wieland-electric.de/sales/searching-for-addresses.html

GST 18i3	Pure connector	Connector with Traction relief	Connector with Traction relief and cable	
L1 ... L4 PCD7.L620 PCD7.L621	 92.032.3358.1	 92.932.3053.1		
			Cable length	Black
			1,0 m 2,0 m 3,0 m 4,0 m 5,0 m 6,0 m 7,0 m 8,0 m	92.232.1004.1 92.232.2004.1 92.232.3004.1 92.232.4004.1 92.232.5004.1 92.232.6004.1 92.232.7004.1 92.232.8004.1

For more details please refer your local "Wieland-Electric" distributor.
www.wieland-electric.de/sales/searching-for-addresses.html

GST 18i5	Pure connector	Connector with Traction relief	Connector with Traction relief and cable	
S1 ... S4 PCD7.L621 PCD7.L622	 92.042.3353.1	 92.944.3053.1		
			Cable length	Black
			1,0 m 2,0 m 3,0 m 4,0 m 5,0 m 6,0 m 7,0 m 8,0 m	92.207.1004.1 92.207.2004.1 92.207.3004.1 92.207.4004.1 92.207.5004.1 92.207.6004.1 92.207.7004.1 92.207.8004.1

For more details please refer your local "Wieland-Electric" distributor.
www.wieland-electric.de/sales/searching-for-addresses.html

ST 17/2	Pure connector	Connector with Traction relief	Connector with Traction relief and cable	
S1 ... S2 PCD7.L623 (24V System)	Not available	 93.942.0558.1		
			Cable length	Black
			0,5 m	94.123.0504.1
			1,0 m	94.123.1004.1
1,5 m	94.123.1504.1			
2,0 m	94.123.2004.1			
2,5 m	94.123.2504.1			
3,0 m	94.123.3004.1			
3,5 m	94.123.3504.1			
4,0 m	94.123.4004.1			

For more details please refer your local "Wieland-Electric" distributor.
www.wieland-electric.de/sales/searching-for-addresses.html